

Chem Senses. 2001 Oct;26(8):971-81.

☐ 7: Bobkova NV, Nesterova IV, Nesterov VV.

The state of cholinergic structures in forebrain of bulbectomized mice.

Related Articles, Links

Bull Exp Biol Med. 2001 May;131(5):427-31.
PMID: 11550044 [PubMed - indexed for MEDLINE]

following reversible olfactory nerve lesions.

PMID: 11595674 [PubMed - indexed for MEDLINE]

Related Articles, Links

☐ 10: Steiner RA, Hohmann JG, Holmes A, Wrenn CC, Cadd G, Jureus A Clifton DK, Luo M, Gutshall M, Ma SY, Mufson EJ, Crawley JN. Galanin transgenic mice display cognitive and neurochen characteristic of Alzheimer's disease. Proc Natl Acad Sci U S A. 2001 Mar 27;98(7):4184-9. PMID: 11259657 [PubMed - indexed for MEDLINE]	
Olfactory centres in Alzheimer's disease: olfactory bulb is Braak's stages. Neuroreport. 2001 Feb 12,;12(2):285-8. PMID: 11209936 [PubMed - indexed for MEDLINE]	Related Articles, Links s involved in early
Effects of gonadal hormone replacement on measures of cholinergic function. Neuroscience. 2000;101(4):931-8. PMID: 11113342 [PubMed - indexed for MEDLINE]	Related Articles, Links basal forebrain
Local and cortical effects of olfactory bulb lesions on trop cholinergic function and their modulation by estrogen. J Neurobiol. 2000 Nov 5;45(2):61-74. PMID: 11018768 [PubMed - indexed for MEDLINE]	Related Articles, Links ohic support and
14: Tomidokoro Y, Harigaya Y, Matsubara E, Ikeda M, Kawarabayashi T, Okamoto K, Shoji M. Impaired neurotransmitter systems by Abeta amyloidosis transgenic mice overexpressing amyloid beta protein prec Neurosci Lett. 2000 Oct 13;292(3):155-8. PMID: 11018300 [PubMed - indexed for MEDLINE]	in APPsw
☐ 15: Shoham S, Youdim MB. Iron involvement in neural damage and microgliosis in meneurodegenerative diseases. Cell Mol Biol (Noisy-le-grand). 2000 Jun;46(4):743-60. Review. PMID: 10875437 [PubMed - indexed for MEDLINE]	Related Articles, Links odels of
☐ 16: Van Hoesen GW, Parvizi J, Chu CC. Orbitofrontal cortex pathology in Alzheimer's disease. Cereb Cortex. 2000 Mar;10(3):243-51. PMID: 10731219 [PubMed - indexed for MEDLINE]	Related Articles, Links
☐ 17: Horning MS, Blakemore LJ, Trombley PQ. Endogenous mechanisms of neuroprotection: role of zinc, carnosine. Brain Res. 2000 Jan 3;852(1):56-61. PMID: 10661495 [PubMed - indexed for MEDLINE]	Related Articles, Links copper, and
□ 18: Kovacs T, Cairns NJ, Lantos PL. beta-amyloid deposition and neurofibrillary tangle formation bulb in ageing and Alzheimer's disease. Neuropathol Appl Neurobiol. 1999 Dec; 25(6):481-91. PMID: 10632898 [PubMed - indexed for MEDLINE]	Related Articles, Links on in the olfactory

☐ 19: Castillo PE, Carleton A, Vincent JD, Lledo PM.

Multiple and opposing roles of cholinergic transmission in the main

Related Articles, Links

PMID: 9929657 [PubMed - indexed for MEDLINE]

22: Christensen MK, Frederickson CJ. Related Articles, Links Zinc-containing afferent projections to the rat corticomedial amygdaloid complex: a retrograde tracing study. J Comp Neurol. 1998 Oct 26;400(3):375-90. PMID: 9779942 [PubMed - indexed for MEDLINE] 23:Gu Z, Yu J, Perez-Polo JR. Related Articles, Links Long term changes in brain cholinergic markers and nerve growth factor levels after partial immunolesion. Brain Res. 1998 Aug 10;801(1-2):190-7. PMID: 9729378 [PubMed - indexed for MEDLINE] 24: Struble RG, Ghobrial M. Related Articles, Links Cancer treatment and growth cone-associated protein in human olfactory bulb glomeruli. Arch Otolaryngol Head Neck Surg. 1998 Aug;124(8):867-70. PMID: 9708711 [PubMed - indexed for MEDLINE] ☐ 25: Trombley PO. Related Articles, Links Selective modulation of GABAA receptors by aluminum. J Neurophysiol. 1998 Aug;80(2):755-61. PMID: 9705466 [PubMed - indexed for MEDLINE] 26: Hock C, Golombowski S, Muller-Spahn F, Peschel O, Riederer A, Related Articles, Links Probst A, Mandelkow E, Unger J. Histological markers in nasal mucosa of patients with Alzheimer's disease. Eur Neurol. 1998 Jul;40(1):31-6. PMID: 9693230 [PubMed - indexed for MEDLINE] 27: Hawkes CH, Shephard BC, Geddes JF, Body GD, Martin JE. Related Articles, Links Olfactory disorder in motor neuron disease. Exp Neurol. 1998 Apr;150(2):248-53. PMID: 9527894 [PubMed - indexed for MEDLINE] 28: Kovacs I, Torok I, Zombori J, Kasa P. Related Articles, Links Cholinergic structures and neuropathologic alterations in the olfactory bulb of Alzheimer's disease brain samples. Brain Res. 1998 Apr 6;789(1):167-70. PMID: 9602111 [PubMed - indexed for MEDLINE] 29: Yamagishi M, Getchell ML, Takami S, Getchell TV. Related Articles, Links Increased density of olfactory receptor neurons immunoreactive for apolipoprotein E in patients with Alzheimer's disease. Ann Otol Rhinol Laryngol. 1998 May;107(5 Pt 1):421-6. PMID: 9596222 [PubMed - indexed for MEDLINE] 130: Mufson EJ, Lavine N, Jaffar S, Kordower JH, Quirion R, Saragovi Related Articles, Links Reduction in p140-TrkA receptor protein within the nucleus basalis and cortex in Alzheimer's disease. Exp Neurol. 1997 Jul;146(1):91-103. PMID: 9225742 [PubMed - indexed for MEDLINE] 31: Kasa P, Karcsu S, Kovacs I, Wolff JR.

Cholinoceptive neurons without acetylcholinesterase activity and enzyme-


olfactory receptor neurons and its decrease in Alzheimer's disease patients. Ann Otol Rhinol Laryngol. 1996 Feb; 105(2):132-9. PMID: 8659934 [PubMed - indexed for MEDLINE] 34: Waeber C, Sebben M, Bockaert J, Dumuis A. Related Articles, Links Regional distribution and ontogeny of 5-HT4 binding sites in rat brain. Behav Brain Res. 1996;73(1-2):259-62. PMID: 8788514 [PubMed - indexed for MEDLINE] ☐ 35: Etcheberrigaray R, Payne JL, Alkon DL. Related Articles, Links Soluble beta-amyloid induces Alzheimer's disease features in human fibroblasts and in neuronal tissues. Life Sci. 1996;59(5-6):491-8. Review. PMID: 8761337 [PubMed - indexed for MEDLINE] 36: Sinha UK, Saadat D, Linthicum FH Jr, Hollen KM, Miller CA. Related Articles, Links Temporal bone findings in Alzheimer's disease. Laryngoscope. 1996 Jan; 106(1 Pt 1):1-5. PMID: 8544613 [PubMed - indexed for MEDLINE] 37: Holden RJ, Mooney PA. Related Articles, Links Interleukin-1 beta: a common cause of Alzheimer's disease and diabetes mellitus. Med Hypotheses. 1995 Dec;45(6):559-71. Review. PMID: 8771051 [PubMed - indexed for MEDLINE] 38: Thinakaran G, Kitt CA, Roskams AJ, Slunt HH, Masliah E, von Related Articles, Links Koch C, Ginsberg SD, Ronnett GV, Reed RR, Price DL, et al. Distribution of an APP homolog, APLP2, in the mouse olfactory system: a potential role for APLP2 in axogenesis. J Neurosci. 1995 Oct;15(10):6314-26. PMID: 7472397 [PubMed - indexed for MEDLINE] 39:Clarris HJ, Key B, Beyreuther K, Masters CL, Small DH. Related Articles, Links Expression of the amyloid protein precursor of Alzheimer's disease in the developing rat olfactory system. Brain Res Dev Brain Res. 1995 Aug 28;88(1):87-95. PMID: 7493410 [PubMed - indexed for MEDLINE] 1 40: Wolozin B, Hirashima N, Luo Y, Li YH, Alkon DL, Etcheberrigaray Related Articles, Links R, Sunderland T. Transforming growth factor beta induces a beta-responsive calcium fluxes in Neuroreport. 1995 Jul 10;6(10):1429-33. PMID: 7488741 [PubMed - indexed for MEDLINE] 41: Luo YQ, Hirashima N, Li YH, Alkon DL, Sunderland T, Related Articles, Links Etcheberrigaray R, Wolozin B. Physiological levels of beta-amyloid increase tyrosine phosphorylation and cytosolic calcium. Brain Res. 1995 May 29;681(1-2):65-74. PMID: 7552293 [PubMed - indexed for MEDLINE] 42: Krishna NS, Getchell ML, Buiakova OI, Margolis FL, Getchell TV. Related Articles, Links Human olfactory receptor neurons contain OMP mRNA in their dendritic and axonal processes.

Neuroreport. 1995 Mar 27;6(5):817-21.

PMID. 7605954 [DuhMed - indexed for MEDI INE]

45: Sobreviela T, Clary DO, Reichardt LF, Brandabur MM, Kordower Related Articles, Link JH, Mufson EJ. TrkA-immunoreactive profiles in the central nervous system: colocalization
with neurons containing p75 nerve growth factor receptor, choline acetyltransferase, and serotonin. J Comp Neurol. 1994 Dec 22;350(4):587-611. PMID: 7890832 [PubMed - indexed for MEDLINE]
☐ 46: Johnson GS, Basaric-Keys J, Ghanbari HA, Lebovics RS, Lesch KP, Related Articles, Link Merril CR, Sunderland T, Wolozin B. Protein alterations in olfactory neuroblasts from Alzheimer donors. Neurobiol Aging. 1994 Nov-Dec;15(6):675-80. PMID: 7891821 [PubMed - indexed for MEDLINE]
47: Ulloa L, Montejo de Garcini E, Gomez-Ramos P, Moran MA, Avila Related Articles, Links J.
Microtubule-associated protein MAP1B showing a fetal phosphorylation pattern is present in sites of neurofibrillary degeneration in brains of Alzheimer's disease patients. Brain Res Mol Brain Res. 1994 Oct;26(1-2):113-22. PMID: 7854037 [PubMed - indexed for MEDLINE]
Human striatum: the distribution of neurofibrillary tangles in Alzheimer's disease. Brain Res. 1994 Jun 20;648(2):327-31. PMID: 7922549 [PubMed - indexed for MEDLINE]
Pathology of olfactory mucosa in patients with Alzheimer's disease. Ann Otol Rhinol Laryngol. 1994 Jun;103(6):421-7. PMID: 8203807 [PubMed - indexed for MEDLINE]
☐ 50: Schwob JE, Youngentob SL, Meiri KF. On the formation of neuromata in the primary olfactory projection. J Comp Neurol. 1994 Feb 15;340(3):361-80. PMID: 8188856 [PubMed - indexed for MEDLINE]
The strict of the Kunitz-type protease inhibitor family, is a potent blocker of high-threshold Ca2+ channels with a high affinity for L-type channels in cerebellar granule neurons. Proc Natl Acad Sci U S A. 1994 Feb 1;91(3):878-82. PMID: 8302860 [PubMed - indexed for MEDLINE]
The olfactory bulb in Alzheimer disease: a morphologic study of neuron loss, tangles, and senile plaques in relation to olfaction. Alzheimer Dis Assoc Disord. 1994 Spring;8(1):38-48. PMID: 8185881 [PubMed - indexed for MEDLINE]
☐ 53: Wolozin B, Lesch P, Lebovics R, Sunderland T. A.E. Bennett Research Award 1993. Olfactory neuroblasts from Alzheimer

donors: studies on APP processing and cell regulation. Biol Psychiatry. 1993 Dec 15;34(12):824-38. Entrez-PubMed Page 6 of 9



anterior olfactory nucleus of the human adult: distribution and cell typology-

-partial complementarity with parvalbumin.

The basal forebrain cholinergic system: efferent and afferent connectivity and long-term effects of lesions. Acta Psychiatr Scand Suppl. 1991;366:14-26. PMID: 1680268 [PubMed - indexed for MEDLINE]
Localization of NGF receptors in normal and Alzheimer's basal forebrain with monoclonal antibodies against the truncated form of the receptor. J Neurosci Res. 1990 Dec;27(4):651-64. PMID: 1964180 [PubMed - indexed for MEDLINE]
70: Yoshimura N, Kubota S, Fukushima Y, Kudo H, Ishigaki Related Articles, Books, LinkOut H, Yoshida Y. Down's syndrome in middle age. Topographical distribution and immunoreactivity of brain lesions in an autopsied patient. Acta Pathol Jpn. 1990 Oct;40(10):735-43. PMID: 1963256 [PubMed - indexed for MEDLINE]
☐ 71: Yoshimura N. Related Articles, Books, LinkOut Alzheimer's neurofibrillary changes in the olfactory bulb in myotonic dystrophy. Clin Neuropathol. 1990 Sep-Oct;9(5):240-3. PMID: 2272144 [PubMed - indexed for MEDLINE]
73: Murphy C, Gilmore MM, Seery CS, Salmon DP, Lasker Related Articles, Books, LinkOut BR. Olfactory thresholds are associated with degree of dementia in Alzheimer's disease. Neurobiol Aging. 1990 Jul-Aug;11(4):465-9. PMID: 2381506 [PubMed - indexed for MEDLINE]
☐ 74: Kromer Vogt LJ, Hyman BT, Van Hoesen GW, Damasio Related Articles, Books, LinkOut AR. Pathological alterations in the amygdala in Alzheimer's disease. Neuroscience. 1990;37(2):377-85. PMID: 2133349 [PubMed - indexed for MEDLINE]
☐ 75: Mita S, Schon EA, Herbert J. Related Articles, Domains, Books, LinkOut Widespread expression of amyloid beta-protein precursor gene in rat brain. Am J Pathol. 1989 Jun;134(6):1253-61. PMID: 2502926 [PubMed - indexed for MEDLINE]
☐ 76: Talamo BR, Rudel R, Kosik KS, Lee VM, Neff S, Adelman L, Kauer JS. Pathological changes in olfactory neurons in patients with Alzheimer's disease. Nature. 1989 Feb 23;337(6209):736-9. PMID: 2465496 [PubMed - indexed for MEDLINE]

Mech Ageing Dev. 1988 Jan;42(1):1-15. PMID: 2964546 [PubMed - indexed for MEDLINE] ■ 80: Takahashi H, Takeda S, Ikuta F, Homma Y. Related Articles, Books, LinkOut Progressive supranuclear palsy with limbic system involvement: report of a case with ultrastructural investigation of neurofibrillary tangles in various locations. Clin Neuropathol. 1987 Nov-Dec;6(6):271-6. PMID: 3427854 [PubMed - indexed for MEDLINE] 81: Inokuchi A, Restrepo JP, Snow JB Jr. Related Articles, Books, LinkOut Effect of stimulation of the horizontal limb of the diagonal band on rat olfactory bulb neuronal activity. Am J Otolaryngol. 1987 Jul-Aug;8(4):205-10. PMID: 3631417 [PubMed - indexed for MEDLINE] 82: Kahn J, Anderton BH, Miller CC, Wood JN, Esiri MM. Related Articles, Books, LinkOut Staining with monoclonal antibodies to neurofilaments distinguishes between subpopulations of neurofibrillary tangles, between groups of axons and between groups of dendrites. J Neurol. 1987 May;234(4):241-6. PMID: 3112314 [PubMed - indexed for MEDLINE] **83:**Ohm TG, Braak H. Related Articles, Books, LinkOut Olfactory bulb changes in Alzheimer's disease. Acta Neuropathol (Berl). 1987;73(4):365-9. PMID: 3618129 [PubMed - indexed for MEDLINE] ■ 84: Nickell WT, Shipley MT. Related Articles, Books, LinkOut Frequency potentiation of a central cholinergic circuit. J Neural Transm Suppl. 1987;24:153-60. PMID: 3479522 [PubMed - indexed for MEDLINE] ☐ **85:**Roberts E. Related Articles, Books, LinkOut Alzheimer's disease may begin in the nose and may be caused by aluminosilicates. Neurobiol Aging. 1986 Nov-Dec;7(6):561-7. Review. PMID: 3550509 [PubMed - indexed for MEDLINE] 86: Hardy JA, Mann DM, Wester P, Winblad B. Related Articles, Books, LinkOut An integrative hypothesis concerning the pathogenesis and progression of Alzheimer's disease. Neurobiol Aging. 1986 Nov-Dec;7(6):489-502. Review. PMID: 2882432 [PubMed - indexed for MEDLINE] ■ 87: Mann DM, Yates PO, Marcyniuk B, Ravindra CR. Related Articles, Books, LinkOut The topography of plaques and tangles in Down's syndrome patients of different ages. Neuropathol Appl Neurobiol. 1986 Sep-Oct;12(5):447-57. PMID: 2946973 [PubMed - indexed for MEDLINE] 88: Palmer AM, Procter AW, Stratmann GC, Bowen DM. Related Articles, Books, LinkOut Excitatory amino acid-releasing and cholinergic neurones in Alzheimer's disease.

Neurosci Lett. 1986 May 15;66(2):199-204.

PMID: 3014387 [PubMed - indexed for MEDLINE]

91: Wilcock GK, Powell TP.	Related Articles, Cited in PMC, Books, LinkOut
Anatomical correlates of the distribution neocortex in Alzheimer disease. Proc Natl Acad Sci U S A. 1985 Jul;82(13): PMID: 3859874 [PubMed - indexed for ME	
□ 92: <u>Ulrich J.</u>	Related Articles, Books, LinkOut
Alzheimer changes in nondemented possible early stages of Alzheimer's Alzheimer type. Ann Neurol. 1985 Mar;17(3):273-7. PMID: 3994315 [PubMed - indexed for ME	disease and senile dementia of
93:Esiri MM, Wilcock GK.	Related Articles, Books, LinkOut
The olfactory bulbs in Alzheimer's d J Neurol Neurosurg Psychiatry. 1984 Jan;47 PMID: 6693914 [PubMed - indexed for ME	7(1):56-60.
☐ 94: Mesulam MM, Mufson EJ, Wainer BH, Levey AI.	Related Articles, Cited in PMC, Books, LinkOut
Central cholinergic pathways in the nomenclature (Ch1-Ch6). Neuroscience. 1983 Dec;10(4):1185-201.	rat: an overview based on an alternative
PMID: 6320048 [PubMed - indexed for ME	DLINEJ
Display. Summary Show: 200	Sort Send to Text
Items 1-94 of 94	One page.

Write to the Help Desk

NCBI | NLM | NIH

Department of Health & Human Services

Freedom of Information Act | Disclaimer

i686-pc-linux-gnu Dec 20 2002 16:27:34